



" Client Name Evo Series "

Omniray Technology

MODEL :	1.2	1.5	2.1	
System type:	Bass Reflex	Bass Reflex	Bass Reflex	
Components:				
Comp. Driver:	1" - Coil 44 mm	1" - Coil 44 mm	2" - Coil 76 mm	
Tweeter:	No	No	1" - Coil 44 mm	
Woofer:	1 x 12" Coil 64 mm	1 x 15" Coil 76 mm	1 x 21" Coil 125 mm	
Horn:	Omniray GZ 12"	Omniray GZ 15"	Omniray GZ 21"	
Power RMS:	500 W (AES)	1000 W (AES)	2000 W (AES)	
Nominal impedance:	8 Ω	8 Ω	8 Ω	
Frequency response:	35 Hz – 20 kHz	32 Hz – 20 kHz	28 Hz – 22 kHz	
Crossover frequency:	1000 Hz 12 dB/Oct	800 Hz 12 dB/Oct	600/12000 Hz 12dB/Oct	
Sensitivity:	96 dB (1W/1mt)	97 dB (1W/1mt)	98 dB (1W/1mt)	
Dispersion:	100° (-6 dB)	100° (-6 dB)	110° (-6 dB)	
Dimensioni mm (H x W x D)	930 x 440 x 620	1120 x 520 x 730	1600 x 1000 x 720	
Cabinet:	mdf 44 mm Tlp 42 mm	mdf 44 mm Tlp 44 mm	mdf 44 mm Tlp 55 mm	
Finish:				
Cabinet:	Satin Black – Lacquer White – Lacquer Black Piano			
Solid Wood:	Cherry Lacquer – Walnut Lacquer – Wengè Lacquer – Natural Lacquer			
Net Weight:	50	75	150	



“ Twenty two Series ”

Omniray Technology

MODEL :	Bookshelf	2.6	2.8
System type:	Bass Reflex	Bass Reflex	Bass Reflex
Components:			
Comp. Driver:	1" - Coil 36 mm	1" - Coil 36 mm	1" - Coil 36 mm
Woofer:	1 x 6.5" Coil 39 mm	2 x 6.5" Coil 39 mm	2 x 8" Coil 50 mm
Horn:	Omniray GZ 6"	Omniray GZ 6"	Omniray GZ 8"
Power RMS:	100 W (AES)	200 W (AES)	300 W (AES)
Nominal impedance:	6 Ω	6 Ω	6 Ω
Frequency response:	40 Hz – 21 kHz	36 Hz – 21 kHz	33 Hz – 21 kHz
Crossover frequency:	1500 Hz 12 dB/Oct	1500 Hz 12 dB/Oct	1200 Hz 12 dB/Oct
Sensitivity:	92 dB (1W/1mt)	92 dB (1W/1mt)	93 dB (1W/1mt)
Dispersion:	100° (-6 dB)	100° (-6 dB)	110° (-6 dB)
Dimensioni mm (H x W x D)	440 x 220 x 350	1040 x 220 x 350	1190 x 250 x 400
Cabinet:	mdf 16 mm Tlp 32 mm	mdf 16 mm Tlp 32 mm	mdf 19 mm Tlp 37 mm
Finish:			
Cabinet:			
Solid Wood:			
Net Weight:	12	23	32



“ Zero Series ”

Omniray Technology

MODEL :	ZeroBookS.	ZeroSei	ZeroOtto	ZeroDieci
System type:	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex
Components:				
Comp. Driver:	1" - Coil 25 mm	1" - Coil 25 mm	1" - Coil 25 mm	1" - Coil 25 mm
Woofer:	1 x 6.5" Coil 39 mm	2 x 6.5" Coil 39 mm	2 x 8" Coil 50 mm	2 x 10" Coil 44 mm
Horn:	Omniray GZ 6"	Omniray GZ 6"	Omniray GZ 8"	Omniray GZ 10"
Power RMS:	100 W (AES)	200 W (AES)	300 W (AES)	400 W (AES)
Nominal impedance:	6 Ω	6 Ω	6 Ω	6 Ω
Frequency response:	40 Hz – 20 kHz	35 Hz – 20 kHz	32 Hz – 20 kHz	30 Hz – 20 kHz
Crossover frequency:	1500 Hz 12 dB/Oct	1500 Hz 12 dB/Oct	1200 Hz 12 dB/Oct	1000 Hz 12 dB/Oct
Sensitivity:	92 dB (1W/1mt)	92 dB (1W/1mt)	93 dB (1W/1mt)	95 dB (1W/1mt)
Dispersion:	100° (-6 dB)	100° (-6 dB)	110° (-6 dB)	120° (-6 dB)
Dimensioni mm (H x W x D)	440 x 215 x 340	1000 x 215 x 340	1160 x 250 x 380	1320 x 300 x 440
Cabinet:	mdf 16 mm mdf 30 mm	mdf 16 mm mdf 30 mm	mdf 19 mm mdf 30 mm	mdf 19 mm mdf 30 mm
Finish:				
Cabinet/Panel:	Satin Black – Lacquer White – Lacquer Black Piano			
Horn:	(Cherry–Walnut–Wengè–Natural) Lacquer – Satin Black – Lacquer White – Piano Black			
Net Weight:	12	20	28	34



“ Zero Series ”

Omniray Technology

MODEL :	ZeroCentral	ZeroSub	ZeroSurround
System type:	Bass Reflex	Bass Reflex	Bass Reflex
Components:			
Comp. Driver:	1" - Coil 25 mm	1" - Coil 25 mm	1" - Coil 25 mm
Woofer:	1 x 6.5" Coil 39 mm	2 x 6.5" Coil 39 mm	2 x 8" Coil 50 mm
Horn:	Omniray GZ 6"	Omniray GZ 6"	Omniray GZ 8"
Power RMS:	200 W (AES)	100 W (AES)	50 W (AES)
Nominal impedance:	6 Ω	6 Ω	6 Ω
Frequency response:	40 Hz – 20 kHz	30 Hz – 160 Hz	32 Hz – 20 kHz
Crossover frequency:	1500 Hz 12 dB/Oct		1200 Hz 12 dB/Oct
Sensitivity:	92 dB (1W/1mt)	93 dB (1W/1mt)	90 dB (1W/1mt)
Dispersion:	100° (-6 dB)		90° (-6 dB)
Dimensioni mm (H x W x D)	245 x 574 x 340	390 x 320 x 410	210 x 300 x 130
Cabinet:	mdf 16 mm mdf 30 mm	mdf 19 mm mdf 30 mm	mdf 12 mm mdf 30 mm
Finish:			
Cabinet/Panel:	Satin Black – Lacquer White – Lacquer Black Piano		
Horn:	(Cherry–Walnut–Wengè–Natural) Lacquer – Satin Black – Lacquer White – Piano Black		
Net Weight:	15	14	28



CLIENT EVO SERIES

TECHNICAL FEATURES

MODEL :	EVO 3.12	EVO 3.15	EVO 3.18
System type:	Bass Reflex	Bass Reflex	Bass Reflex
Comp. Driver:	1" - Coil 44 mm	1" - Coil 44 mm	1" - Coil 44 mm
Mid Bass:	1 x 8" Coil 50 mm	1 x 10" Coil 64 mm	1 x 12" Coil 64 mm
Woofer :	1 x 12" Coil 64 mm	1 x 15" Coil 75 mm	1 x 18" Coil 100 mm
Horn:	Omniray GZ 10"	Omniray GZ 12"	Omniray GZ 15"
Power RMS:	500 W (AES)	750 W (AES)	1000 W (AES)
Nominal Imp. :	6 Ω	6 Ω	6 Ω
Freq.Response:	32 Hz – 20 kHz	30 Hz – 20 kHz	28 Hz – 20 kHz
Cx Frequency:	1200 Hz 12 dB/Oct	1000 Hz 12 dB/Oct	800 Hz 12 dB/Oct
Sensitivity:	95 dB (1W/1mt)	96 dB (1W/1mt)	97 dB (1W/1mt)
Dispersion:	120° (-6 dB)	130 ° (-6 dB)	140° (-6 dB)
Dim. (H x W x D)	1050 x 420 x 500	1350 x 520 x 600	1650 x 620 x 700
Cabinet:	mdf 44 mm	mdf 44 mm	mdf 44 mm
Finish: Cabinet & Horn : Wood Part:	Full Lacquer White – Full Black Piano– Full Satin Black – Full satin white Cherry – Light Cherry – Walnut – Light Walnut – Natural		
Net Weight:	60	80	120



HOME MONITOR SERIES

TECHNICAL FEATURES

MODEL :	HM 2.6	HM 2.8	HM 2.10	HM 2.12	HM 2.15
System type:	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex
Comp. Driver:	1" - Coil 37 mm	1" - Coil 37 mm	1" - Coil 37 mm	1" - Coil 44 mm	1" - Coil 44 mm
Woofer:	2 x 6.5" Coil 39 mm	2 x 8" Coil 44 mm	2 x 10" Coil 50 mm	2 x 12" Coil 63 mm	2 x 15" Coil 75 mm
Horn:	Omniray EZ 6"	Omniray EZ 8"	Omniray EZ 10"	Omniray EZ 12"	Omniray EZ 15"
Power RMS:	200 W (AES)	300 W (AES)	500 W (AES)	700 W (AES)	1.000 W (AES)
Nominal Imp. :	6 Ω	6 Ω	6 Ω	6 Ω	6 Ω
Freq.Response:	40 Hz – 21 kHz	35 Hz – 21 kHz	32 Hz – 21 kHz	30 Hz – 21 kHz	28 Hz – 21 kHz
Cx Frequency:	1800 Hz 12 dB/Oct	1500 Hz 12 dB/Oct	1200 Hz 12 dB/Oct	1000 Hz 12 dB/Oct	800 Hz 12 dB/Oct
Sensitivity:	92 dB (1W/1mt)	93 dB (1W/1mt)	94 dB (1W/1mt)	95 dB (1W/1mt)	96 dB (1W/1mt)
Dispersion:	90°H / 60°V (-6 dB)	90°H / 60°V (-6 dB)	90°H / 60°V (-6 dB)	100°H / 75°V (-6 dB)	120° H / 90°V (-6 dB)
Dim. (H x W x D)	1050 x 220 x 335	1150 x 260 x 385	1290 x 300 x 445	1440 x 380 x 550	1620 x 450 x 640
Cabinet:	mdf 16 mm mdf 30 mm	mdf 16 mm mdf 30 mm	mdf 19 mm mdf 35 mm	mdf 19 mm mdf 44 mm	mdf 19 mm mdf 44 mm
Finish:	Full Satin Black – Full Satin White – Mix Satin White/Satin Black Full Lacquer White – Full Black Piano Satin Black - Satin Pearl White Cherry – Light Cherry – Walnut – Light Walnut - Natural				
HM Standard:					
HM Plus:					
Cabinet & Horn :					
Wood Part:					
Net Weight:	23	32	45	60	80



TWENTY EVO 1.2

TECHNICAL FEATURES

MODEL :	TWENTY EVO 1.2
System type:	Bass Reflex
Comp. Driver:	1" - Coil 44 mm
Woofer :	1 x 12" Coil 75 mm
Horn:	Omniray GZ 12"
Power RMS:	500 W (AES)
Nominal Imp. :	6 Ω
Freq.Response:	30 Hz – 21 kHz
Cx Frequency:	1000 Hz 12 dB/Oct
Sensitivity:	96 dB (1W/1mt)
Dispersion:	120° (-6 dB)
Dim. (H x W x D)	1140 x 360 x 550
Cabinet:	mdf 19 mm mdf/TLP 40 mm
Finish:	
Standard:	Full Satin Black – Full Satin White – Mix Satin White/Satin Black
Plus:	Full Lacquer White – Full Black Piano
Cabinet & Horn :	Satin Black - Satin Pearl White
Wood Part:	Cherry – Light Cherry – Walnut – Light Walnut - Natural
Net Weight:	52